

according to Regulation (EC) No 1907/2006

# ARC CS4(E) Part A

Revision date: 08.12.2020

Page 1 of 14

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

ARC CS4(E) Part A

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

ARC Polymer Composite. To be mixed with ARC CS4 (Part B) to provide protection to concrete in acid exposure environment.

#### Uses advised against

No information available.

## 1.3. Details of the supplier of the safety data sheet

Company name:	Chesterton International GmbH	
Street:	Am Lenzenfleck 23	
Place:	DE-85737 Ismaning GERMANY	
Telephone:	+49 89 99 65 46 - 0	Telefax: +49 89 99 65 46 - 50
e-mail:	eu-sds@chesterton.com	
e-mail (Contact person):	eu-sds@chesterton.com	
Internet:	www.chesterton.com	
Responsible Department:	eu-sds@chesterton.com	
1.4. Emergency telephone	+49(0) 551 - 1 92 40 (GIZ-Nord, 24h)	
-		

number:

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1 Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

## 2.2. Label elements


## Regulation (EC) No. 1272/2008

#### Hazard components for labelling

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol Phenol, polymer with formaldehyde, glycidether oxirane, mono[(C12-14-alkyloxy)methyl] derivs.



according to Regulation (EC) No 1907/2006



**SECTION 3: Composition/information on ingredients** 

# 3.2. Mixtures



according to Regulation (EC) No 1907/2006

# ARC CS4(E) Part A

Revision date: 08.12.2020

Page 3 of 14

#### Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification	•	•	
9003-36-5	Formaldehyde, oligomeric reaction	products with 1-chloro-2,3-epoxypro	pane and phenol	45 - < 50 %
	500-006-8		01-2119454392-40	
	Skin Irrit. 2, Skin Sens. 1, Aquatic	Chronic 2; H315 H317 H411		
28064-14-4	Phenol, polymer with formaldehyde	e, glycidether		15 - < 20 %
	608-164-0			
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.	1, Aquatic Chronic 2; H315 H319 H3	17 H411	
68609-97-2	oxirane, mono[(C12-14-alkyloxy)m	ethyl] derivs.		5 - < 10 %
	271-846-8	603-103-00-4	01-2119485289-22	
	Skin Irrit. 2, Skin Sens. 1; H315 H3	317		

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Change contaminated, saturated clothing. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Seek medical advice immediately. Do not wash with: Solvents/Thinner

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

Do NOT induce vomiting.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

# **SECTION 5: Firefighting measures**

Revision No: 1,08 - Replaces version: 1,07



according to Regulation (EC) No 1907/2006

# ARC CS4(E) Part A

Revision date: 08.12.2020

Page 4 of 14

# 5.1. Extinguishing media

## Suitable extinguishing media

Dry extinguishing powder. Carbon dioxide (CO2). alcohol resistant foam. Water spray jet

#### Unsuitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx)

## 5.3. Advice for firefighters

Special protective equipment for firefighters Protective clothing. In case of fire: Wear self-contained breathing apparatus.

Co-ordinate fire-fighting measures to the fire surroundings.

## Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8. Provide adequate ventilation. Personal protection equipment: see section 8 Remove persons to safety.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Cover drains. Adverse environmental effects

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

See protective measures under point 7 and 8. Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

See section 8. Wear personal protection equipment (refer to section 8). Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

## Advice on protection against fire and explosion

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container.



according to Regulation (EC) No 1907/2006

# ARC CS4(E) Part A

Revision date: 08.12.2020

Page 5 of 14

# Further information on storage conditions

Keep away from: Frost Heat Humidity

## 7.3. Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

## **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
9003-36-5	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol			
Worker DNEL,	long-term	inhalation	systemic	29,39 mg/m³
Worker DNEL,	long-term	dermal	systemic	104,15 mg/kg bw/day
Worker DNEL,	acute	dermal	local	0,0083 mg/cm <sup>2</sup>
Consumer DN	EL, long-term	inhalation	systemic	8,7 mg/m³
Consumer DN	EL, long-term	dermal	systemic	62,5 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	6,25 mg/kg bw/day
28064-14-4	Phenol, polymer with formaldehyde, glycidether	_		
Worker DNEL,		dermal		104,15 mg/kg bw/day
Worker DNEL,		inhalation		29,39 mg/m³
68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.			
Worker DNEL,	long-term	inhalation	systemic	3,6 mg/m <sup>3</sup>
Worker DNEL,	long-term	dermal	systemic	1 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,87 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,5 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,5 mg/kg bw/day
3				



according to Regulation (EC) No 1907/2006

# ARC CS4(E) Part A

Revision date: 08.12.2020

Page 6 of 14

#### **PNEC** values

CAS No	Substance	
Environment	al compartment	Value
9003-36-5	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane a	and phenol
Freshwater		0,003 mg/l
Marine water	r	0,00 mg/l
Freshwater s	sediment	0,294 mg/kg
Marine sedim	nent	0,029 mg/kg
Soil		0,237 mg/kg
68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	
Freshwater		0,106 mg/l
Freshwater (i	intermittent releases)	0,072 mg/l
Marine water	r	0,011 mg/l
Freshwater s	sediment	307,16 mg/kg
Marine sedim	nent	30,72 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	10 mg/l
Soil		1,234 mg/kg

## 8.2. Exposure controls

# Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

## Protective and hygiene measures

Work in well-ventilated zones or use proper respiratory protection. Only wear fitting, comfortable and clean protective clothing. Avoid contact with skin, eyes and clothes. Wash hands and face before breaks and after work and take a shower if necessary.

## Eye/face protection

Suitable eye protection: Eye glasses with side protection goggles

## Hand protection

Tested protective gloves must be worn: EN ISO 374

NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber)

Thickness of the glove material >= 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves

mentioned above together with the supplier of these gloves.

Observe the wear time limits as specified by the manufacturer.

# Skin protection

Protective clothing

Revision No: 1,08 - Replaces version: 1,07



according to Regulation (EC) No 1907/2006

# ARC CS4(E) Part A

Revision date: 08.12.2020

**Respiratory protection** 

Usually no personal respirative protection necessary.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Combination filtering device (EN 14387) A-P3

Self-contained respirator (breathing apparatus) (DIN EN 133)

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	red
Odour:	characteristic
pH-Value:	not determined
Changes in the physical state	
Melting point:	not determined
Initial boiling point and boiling range:	not determined
Flash point:	122 °C
Sustaining combustion:	Not sustaining combustion
Flammability	
Solid:	not determined
Gas:	not determined
Explosive properties No information available.	
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	not determined
Auto-ignition temperature	
Solid:	not determined
Gas:	not determined
Decomposition temperature:	not determined
Oxidizing properties No information available.	
Vapour pressure:	not determined
Density:	1,35 g/cm³
Water solubility:	Immiscible
Solubility in other solvents No information available.	
Partition coefficient:	not determined

Revision No: 1,08 - Replaces version: 1,07

©A. W. Chesterton Company, 2020 All Rights Reserved. ®Reg. US Patent and TM Office

Page 7 of 14



according to Regulation (EC) No 1907/2006

# ARC CS4(E) Part A Revision date: 08.12.2020 Page 8 of 14 Viscosity / dynamic: (at 23 °C) 5000 mPa·s Vapour density: not determined Evaporation rate: not determined **9.2. Other information** No information available. SECTION 10: Stability and reactivity Stability and reactivity

## 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

## 10.2. Chemical stability

Does not decompose when used for intended uses. No known hazardous decomposition products.

#### 10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Oxidising agent

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

## 10.5. Incompatible materials

Acid, Oxidising agent

# 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# ARC CS4(E) Part A

Revision date: 08.12.2020

CAS No Chemical name Exposure route Dose Species Source Method 9003-36-5 Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol LD50 > 5000 OECD Guideline 401 Rat Study report (1988) oral mg/kg LD50 Rat OECD Guideline 402 dermal > 2000 Study report (1988) mg/kg 28064-14-4 Phenol, polymer with formaldehyde, glycidether I D50 >2000 Rat oral Supplier mg/kg LD50 dermal >2000 Rabbit Supplier mg/kg 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs. LD50 > 2000 Rat Study report (1977) Three groups each of oral mg/kg four female rats re inhalation (4 h) aerosol LC50 Rat 0,206 mg/l

## Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

## Sensitising effects

May cause an allergic skin reaction. (Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol; Phenol, polymer with formaldehyde, glycidether; oxirane, mono[(C12-14-alkyloxy)methyl] derivs.)

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Page 9 of 14



according to Regulation (EC) No 1907/2006

# ARC CS4(E) Part A

Revision date: 08.12.2020

Page 10 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
9003-36-5	Formaldehyde, oligomeric	reaction p	roducts with 1	l-chloro-	2,3-epoxypropane and ph	ienol	
	Acute fish toxicity	LC50 mg/l	2,54	96 h	Oncorhynchus mykiss	Study report (1998)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 1,8	72 h	Pseudokirchneriella subcapitata	Study report (1993)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	2,55	48 h	Daphnia magna	Study report (1998)	OECD Guideline 202
	Crustacea toxicity	NOEC	0,3 mg/l	21 d	l Daphnia magna	Study report (1984)	OECD Guideline 211
28064-14-4	Phenol, polymer with formaldehyde, glycidether						
	Acute fish toxicity	LC50 mg/l	2,54	96 h	Leuciscus idus (golden orfe)	Supplier	
	Acute crustacea toxicity	EC50 mg/l	2,55	48 h	Daphnia magna (Big water flea)	Supplier	
68609-97-2	oxirane, mono[(C12-14-al	kyloxy)metł	hyl] derivs.				
	Acute fish toxicity	LC50 mg/l	> 5000	96 h	Oncorhynchus mykiss	Study report (2006)	OECD Guideline 203
	Crustacea toxicity	NOEC	56 mg/l	21 d	Daphnia magna	(2017)	OECD Guideline 211

# 12.2. Persistence and degradability

No information available.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.			
	OECD 301F 87% 28			

# 12.3. Bioaccumulative potential

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
9003-36-5	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	2,7
68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	3,77

BCF

CAS No	Chemical name	BCF	Species	Source
9003-36-5	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	150		Other company data (
68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	>= 160		REACh Registration D

Revision No: 1,08 - Replaces version: 1,07



according to Regulation (EC) No 1907/2006

# ARC CS4(E) Part A

Revision date: 08.12.2020

Page 11 of 14

# 12.4. Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Dispose of waste according to applicable legislation.

## Contaminated packaging

Non-contaminated packages may be recycled. Dispose of waste according to applicable legislation.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1

Revision No: 1,08 - Replaces version: 1,07

GB - EN

©A. W. Chesterton Company, 2020 All Rights Reserved. ®Reg. US Patent and TM Office



according to Regulation (EC) No 1907/2006

Revision date: 08.12.2020	ARC CS4(E) Part A	Page 12 of 14
Marine transport (IMDG)		
14.1. UN number:		
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin)	
14.3. Transport hazard class(es):	9	
14.4. Packing group:	III	
Hazard label:	9	
Marine pollutant:	Р	
Special Provisions:	274, 335, 969	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-A, S-F	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	UN 3082	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin)	
14.3. Transport hazard class(es):	9	
14.4. Packing group:	III	
Hazard label:	9	
Special Provisions:	A97 A158 A197	
Limited quantity Passenger:	30 kg G	
Passenger LQ:	Y964	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	964	
IATA-max. quantity - Passenger:	450 L	
IATA-packing instructions - Cargo:	964	
IATA-max. quantity - Cargo:	450 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Yes	
Danger releasing substance:	epoxy resin	
<b>14.6. Special precautions for user</b> No information available.		
14.7. Transport in bulk according to Annex	II of Marpol and the IBC Code	
No information available.		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	

Restrictions on use (REACH, annex XVII): Entry 3

Revision No: 1,08 - Replaces version: 1,07



according to Regulation (EC) No 1907/2006

# ARC CS4(E) Part A

Revision date: 08.12.2020

Page 13 of 14

## National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

## 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol Phenol, polymer with formaldehyde, glycidether oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,3.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID:Règlement international conernat le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Refulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) CAS: Chemical Abstracts Service (division of the American Chemical Society) GHS: Globally Harmonized System of Classification and Labelling of Chemicals CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures, LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent EC50: Effectice concentration, 50 percent **DNEL: Derived No Effect Level** PNEC: Predicted No Effect Concentration PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP] Classification Classification procedure

Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

#### Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

GB - EN



according to Regulation (EC) No 1907/2006

# ARC CS4(E) Part A

Revision date: 08.12.2020

Page 14 of 14

# **Further Information**

This information is based solely on data privided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)